

SUPPLEMENT TO

The Gazette of India



सत्यमेव जयते

No. 32] NEW DELHI, SATURDAY, SEPTEMBER 1, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th August, 1956

CHOLERA						SMALLPOX						PLAGUE					
C.		D.		C.		D.		C.		D.		C.		D.			
STATES PART (A) AND PART (C)												Assam—contd.					
Ajmer												(Estd. mid-year pop. 9,817 thousands)					
TOTAL												Total for w/c 28-7-56					
(Estd. mid-year pop. 752 thousands.)												Total for w/c 21-7-56					
Total for w/c 28-7-56												7-yearly mean for the week					
Total for w/c 21-7-56												7-yearly mean for the week					
7-yearly mean for the week												Bhopal					
TOTAL												TOTAL					
(Estd. mid-year pop. 867 thousands)												(Estd. mid-year pop. 867 thousands)					
Srikakulam												Total for w/c 28-7-56					
Visakhapatnam												Total for w/c 21-7-56					
Godavari East												7-yearly mean for the week					
Godavari West												7-yearly mean for the week					
Krishna												Bihar					
Guntur												Patna					
Nellore												Gaya					
Kurnool												Shahabad					
Cuddapah												Saran					
Chittoor												Muzaffarpur					
TOTAL												Darbhanga					
(Estd. mid-year pop. 21,238 thousands)												Monghyr					
Total for w/c 28-7-56												Bhagalpur					
Total for w/c 21-7-56												Santal Parganas					
7-yearly mean for the week												Manbhum					
7-yearly mean for the week												TOTAL					
Assam												(Estd. mid-year pop. 42,198 thousands)					
Kamrup												Total for w/c 28-7-56					
Sibsagar												Total for w/c 21-7-56					
TOTAL												7-yearly mean for the week					

Explanation of symbols used: C.—Cases; D.—Deaths; ..—Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th August, 1956—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Bombay							Madhya Pradesh						
Greater Bombay	5	1	Nagpur	1
Surat	5	1	Wardha	..	2	2
Thana	1	1	Chanda	9	4
Ahmednagar	7	Betul	7	3
East Khandesh	22	9	2	1	Bhandara	..	12	6
West Khandesh	5	2	Jabalpur	..	24	10
Sholapur	1	1	Sagar	8	3
Belgaum	3	1	Balaghat	..	20	9
Banaskantha	2	Raipur	..	17	16
To	23	10	28	9	Bilaspur	..	28	15	10
(Estd. mid-year pop. 39,569 thousands)							Durg	..	89	53	6
Total for w/e 28-7-56	16	6	41	12	Akola	21	3
Total for w/e 21-7-56	6	3	23	4	Buldana	2	1
7-yearly mean for the week	111	63	56	11	TOTAL	192	111	64	14
Coorg							(Estd. mid-year pop. 22,109 thousands)						
TOTAL	Total for w/e 28-7-56	319	133	84	11
(Estd. mid-year pop. 262 thousands.)							Total for w/e 21-7-56	293	180	117	20
Total for w/e 28-7-56	7-yearly mean for the week	85	63	44	11
Total for w/e 21-7-56	Madras						
7-yearly mean for the week	Madras	4	3
Delhi							Chingleput	10	1
Delhi Notified Area	1	North Arcot	1
TOTAL	1	Salem	15	6
(Census pop. 1,744 thousands)							South Arcot	10	9
Total for w/e 28-7-56	Tanjore	2	1
Total for w/e 21-7-56	3	Tiruchirappalli	7	5
7-yearly mean for the week	1	Malabar	3
Himachal Pradesh							TOTAL	52	25
"N. R."							(Estd. mid-year pop. 38,273 thousands)						
							Total for w/e 28-7-56	135	41
							Total for w/e 21-7-56	54	12
							7-yearly mean for the week	338	220	76	20

Explanation of symbols used: C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th August, 1956—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Manipur							Uttar Pradesh—<i>contd.</i>						
TOTAL	Basti	..	15	8
(Estd. mid-year pop. 613 thousands.)							Bahraich	2
Total for w/e 28-7-56	Faizabad	1	1
Total for w/e 21-7-56	Lucknow	..	2	1
							Saharanpur	..	1	1
Orissa							Unnao	..	3	2
Cuttack	..	72	27	TOTAL	47	24	4	4
Balasore	..	7	2	(Estd. mid-year pop. 66,780 thousands.)						
Puri	..	12	6	2	Total for w/e 28-7-56	34	23	10	6
Ganjam	..	38	22	1	Total for w/e 21-7-56	39	25	8	3
Dhankanal	3	7-yearly mean for the week	133	61	20	8
Bolangir Patna	1							
Kalahandi	4	1	..	Vindhya Pradesh						
TOTAL	..	129	57	11	1	..	" N. R. "						
(Estd. mid-year pop. 15,114 thousands)							West Bengal						
Total for w/e 28-7-56	..	265	124	13	3	..	Burdwan	..	12	9	3	1	..
Total for w/e 21-7-56	..	149	88	1	Birbhum	..	33	17
7-yearly mean for the week	..	36	19	50	10	..	Bankura	..	38	16
Punjab (I)							Howrah	..	17	4	3	3	..
Rohtak	1	24-Parganas	..	11	7	1	1	..
Ambala	1	..	Calcutta	..	11	5	4	4	..
TOTAL	1	1	..	Murshidabad	..	8	2	10	2	..
(Census pop. 12,641 thousands)							Malda	..	3	1	9
Total for w/e 28-7-56	4	2	..	TOTAL	133	61	30	11
Total for w/e 21-7-56	2	1	..	(Estd. mid-year pop. 26,396 thousands.)						
7-yearly mean for the week	5	2	..	Total for w/e 28-7-56	152	70	98	36
Pondicherry							Total for w/e 21-7-56	187	92	38	12
TOTAL	29	22	7-yearly mean for the week	152	66	17	7
Tripura							Grand Total for States Parts (A) & (C) (Excluding Himachal Pradesh and Vindhya Pradesh)	1217	533	408	146
TOTAL	Corresponding (Estd. mid-year Pop. 2,99,079 * thousands.)						
(Estd. mid-year pop. 706 thousands.)							Corresponding Total for w/e 28-7-56.	1410	592	655	213
Total for w/e 28-7-56	Corresponding Total for w/e 21-7-56.	1278	580	435	117
Total for w/e 21-7-56	Corresponding 7-yearly mean for the week	1706	855	400	102
Uttar Pradesh													
Allahabad	3	1	..							
Allgarh	..	6	4							
Bareilly	..	18	8							
Ballia	..	1							
Budaun	..	1							

*Excluding Pondicherry.

Explanation of symbols used : —C.—Cases ; D.—Deaths ; ..—Nil ; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th August, 1956—*contd.*

CHOLERA				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (B)								Travancore-Cochin			
Hyderabad								TOTAL	2 3
"N.R."								Grand Total for States			
								Part (B)	32	8	30 8
Jammu and Kashmir								Grand Total for States			
"N.R."								Parts (A), (B) and (C)	1249	541	438 154
Madhya Bharat								ARREAR INFORMATION			
"N.R."								Madras			
Mysore								For w/s 28-7-56.			
Cital	9	12	Madras City	6 2
Kolar	16	4	..	Chingliput	7
TOTAL	28	4	..	South Arcot	50 21
Patiala and East Punjab States Union								Tiruchirappalli	13 3
TOTAL	..	32	8	Tanjore	8 2
Rajasthan								Mathurai	2
"N.R."								Ramanathapuram	19 4
Saurashtra								North Arcot	4 1
Zalawad	1	Salem	16 3
TOTAL	1	Malabar	10 2
								TOTAL	135 41
								Rajasthan			
								For w/s 21-7-56			
								TOTAL	7

Explanation of symbols used : C.—Cases; D.—Deaths; ..—Nil; N.R.—Information not received.

NEW DELHI-2 (INDIA); }
The 27th Aug. 1956. }

K. MITRA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th August, 1956:

Deaths from :—

Town	Mid-year Popn. Est. (000)	B	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Parts A and C)													
Ajmer													
Ajmer	223	87	20.3	6	2	7	..	30	7.0	9
Beawar	59	37	32.6	5	3	6	..	17	15.0	4
TOTAL	282	124	22.9	11	5	13	..	47	8.7	13
Andhra													
Adoni	63	45	37.1	3	14	11.6	1
Anantpur	38	25	34.2	2	..	1	6	8.2	..
Anakapalli	46	24	27.1	2	1	2	..	15	17.0	3
Bhimavaram	36	22	31.8	3	2	2	..	17	24.5	4
Chirala	43	36	43.5	4	..	2	..	17	20.6	5
Chittoor †													
Guddapah	42	17	21.0	1	..	1	1	12	14.8	2
Eluru†													
Gudivada	36	33	47.6	2	1	3	..	15	21.6	6
Guntur	147	195	69.0	6	7	13	..	61	21.6	17
Guntakal	37	27	37.9	2	1	10	14.1	2
Kakinada	113	64	29.4	14	6.4	4
Kurnool	68	79	60.4	1	1	1	..	15	11.4	6
Masulipatnam	88	72	42.6	3	5	3	..	29	17.1	11
Nandyal	37	41	57.6	..	12	..	1	2	2	..	26	36.5	2
Nellore	95	105	57.4	9	6	6	1	59	32.2	13
Proddatur	42	35	43.3	1	..	1	..	8	9.9	5
Rajahmundry	122	60	25.6	6	1	1	..	32	13.6	7
Tonali	67	55	42.7	2	1	4	..	15	11.6	5
Vijayvada	201	147	38.1	7	3	10	1	53	13.7	20
Visakhapatnam	128	75	30.4	..	5	..	10	5	12	..	64	26.0	19
Vizianagaram	75	51	35.3	3	1	1	..	27	18.7	4
TOTAL	1,524	1,208	41.2	..	17	..	66	39	64	4	509	17.4	136
Assam													
Shillong†													
Gauhati	51	11	11.2	8	8	8.2	2
Dibrugarh	46	4	4.5
Silchar	43	3	3.6	3	2	9	10.9	2
TOTAL	140	18	6.7	11	2	17	6.3	4
Bhopal													
Bhopal	116	49	22.0	3	1.3	..
Bihar													
"N.R."													
Bombay													
Ahmedabad	889	716	41.9	16	24	54	..	329	19.2	124
Ahmednagar	88	80	47.2	1	1	3	..	17	10.0	8
Amalner	50	44	45.7	11	..	2	..	19	19.8	5
Bagalkot	36	20	28.9	3	..	2	..	15	21.7	2
Baroda	242	195	41.9	21	5	11	..	84	18.0	22
Barsi	46	45	50.8	7	18	20.3	9
Belgaum	110	135	63.8	3	5	8	..	40	18.9	9
Bhusawal	62	24	20.1	2	..	2	..	4	3.4	2
Bijapur†													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. —Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th August, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Bombay—contd.														
Broach . . .	67	51	39.6	5	1	6	..	21	16.3	4	
Cambay . . .	41	39	49.3	1	..	14	17.8	5	
Chalisgaon . . .	35	23	34.2	7	2	14	20.8	8	
Dharwar . . .	76	23	15.7	1	..	1	1	13	8.9	1	
Dhulia . . .	89	48	28.0	8	3	..	1	21	12.3	4	
Gadag Betegeri . . .	71	47	34.4	6	..	5	1	34	24.9	..	
Godra . . .	40	47	61.1	9	..	1	..	17	22.1	3	
Greater Bombay . . .	3,449	1,583	23.9	..	1	..	1	39	97	2	595	8.9	152	
Hubli . . .	148	63	22.1	1	..	7	2.5	1	
Jalgaon . . .	79	112	73.7	5	..	7	2	28	18.3	3	
Kalyan . . .	73	19	13.5	1	..	1	..	11	7.8	4	
Kolhapur . . .	159	95	31.1	2	2	7	..	25	8.2	6	
Malegaon . . .	63	35	28.9	6	8	6.6	1	
Miraj . . .	44	27	31.9	1	1	7	8.3	4	
Nadlad . . .	71	53	38.8	16	..	1	..	27	19.8	6	
Nandurbar . . .	35	33	49.0	1	1	1	..	9	13.4	1	
Nasik . . .	119	51	22.3	3	2	6	..	30	13.1	8	
Navasari . . .	50	35	36.4	8	..	1	..	13	13.5	2	
Pandharpur† patan . . .	47	40	44.3	8	2	4	..	22	24.3	6	
Poona . . .	607	339	29.0	2	2	27	1	103	8.8	21	
Sangli . . .	58	23	20.6	1	2	3	..	21	18.5	4	
Satara . . .	40	31	40.3	1	..	2	..	8	10.4	2	
Sholapur . . .	299	197	34.2	15	10	35	..	117	23.5	31	
Surat . . .	250	185	38.5	13	10	7	1	140	29.1	39	
Thana . . .	61	24	20.3	2	12	10.2	3	
TOTAL . . .	7,594	4,482	30.7	..	1	..	184	114	296	9	1,843	12.6	503	
Delhi State														
Delhi City . . .	1,124	684	31.6	64	20	23	2	189	8.7	72	
New Delhi . . .	374	298	41.4	2	7	3	..	95	13.2	16	
N.A.C. Civil Station, Delhi	117	106	47.1	1	3	..	9	4.0	4	
Delhi Cantt. . .	50	25	26.0	
Delhi-Shahadara . . .	53	67	65.7	1	..	1	..	7	6.9	2	
TOTAL . . .	1,718	1,180	35.7	67	28	30	2	300	9.1	94	
Madhya Pradesh														
Achalpur† Akola . . .	104	87	43.5	8	5	27	13.5	5	
Amravati†														
Bilaspur† Burhanpur . . .	79	44	29.0	8	2	4	..	23	15.1		
Chanda . . .	43	29	35.1	9	2	15	18.1	4	
Chindwar† Damoh† Gondia†														
Hinganghat† Jabalpur† Khandwa . . .	59	20	17.6	1	14	12.3	..	
Khangasont Kamptee . . .	36	17	24.5	2	7	10.1	..	
Murwar†														
Itarsi† Nagpur . . .	528	126	12.4	..	2	..	17	6	5	..	73	7.2	1	
Sagar . . .	75	44	30.5	5	..	2	..	11	7.6	..	
Raipur† Raigarh† Wardhat														
Yeotmal . . .	41	24	30.4	2	15	19.0	7	
TOTAL . . .	965	391	21.1	..	2	..	52	15	11	..	185	10.0	12	

*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information. N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th August, 1956—*contd.*

Deaths from :—

Town	Mid.-year Popn. Est. (000).	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras													
Ambur . . .	44	34	40.2	1	1	1	..	7	8.3	1
Aruppukottai . . .	56	75	69.6	4	6	1	..	22	20.4	4
Bodinayakanpur . . .	40	28	36.4	2	7	9.1	2
Cannanore†													
Chidambaram . . .	39	26	34.7	1	2	1	..	15	20.0	5
Coimbatore . . .	234	189	42.0	2	14	15	..	95	21.1	27
Cuddalore . . .	74	86	60.4	5	1	21	14.8	4
Dindigul . . .	90	63	36.4	3	..	4	1	25	14.4	3
Erode . . .	67	49	38.0	1	2	1	14	10.9	3
Gobichetty Palyan . . .	38	20	27.4	2	..	3	4.1	..
Guddiyattam . . .	53	26	25.5	1	5	..	6	5.9	4
Kancheepuram . . .	90	62	35.8	2	17	..	29	16.8	11
Karaikudi †													
Karur . . .	50	45	46.8	2	1	2	..	15	15.6	..
Kozhikode . . .	176	112	33.1	1	4	11	3	82	24.2	18
Kumbakonam . . .	105	62	30.7	..	3	..	3	1	1	..	19	9.4	4
Madras . . .	1,703	1,617	49.4	..	4	..	62	121	179	3	700	21.4	230
Mangalore . . .	136	112	42.8	1	..	2	..	22	8.4	4
Mathurai . . .	427	324	39.5	14	7	26	1	135	16.4	..
Mayuram . . .	49	58	61.6	2	2	..	17	18.0	5
Malapalyam . . .	41	13	16.5	4	6	7.6	2
Nagapattinam . . .	60	21	18.2	2	1	..	17	14.7	5
Ootacamund . . .	48	33	35.7	10	..	15	16.2	2
Palni . . .	40	26	33.8	1	3	..	8	10.4	1
Palayamkottai . . .	45	64	74.0	3	2	2	..	16	18.5	3
Palghat . . .	77	51	34.4	2	2	2	..	23	15.5	5
Periyakulam . . .	34	21	32.1	1	3	4	1	7	10.7	1
Pollachi . . .	51	35	35.7	2	2	..	17	17.3	6
Pudukottai . . .	50	68	70.7	..	1	..	4	..	2	3	24	25.0	1
Rajapalayam . . .	69	30	22.6	1	2	1	..	17	12.8	6
Salem†													
Srirangam . . .	42	29	35.9	1	..	1	10	12.4	2
Srivilliputtur†													
Tanjore . . .	118	58	25.5	3	1	18	7.9	3
Tellicherry . . .	42	34	42.1	1	1	..	12	14.9	5
Tiruvannamalai . . .	45	41	47.4	2	..	1	..	21	24.3	4
Tirunelveli . . .	80	73	47.5	3	2	..	27	17.5	11
Tiruppur . . .	63	48	39.6	1	2	1	..	15	12.4	3
Tiruchirappalli . . .	251	115	23.8	3	5	4	..	62	12.8	6
Tuticorin . . .	111	68	31.9	5	10	8	1	48	22.5	14
Vaniyambadi . . .	43	24	29.0	1	3	2	1	13	15.7	4
Vellore . . .	124	115	48.2	5	9	..	51	21.4	12
Villupuram . . .	39	61	81.3	..	2	1	3	..	9	12.0	2
Virudunagar . . .	53	117	114.8	1	4	1	..	14	13.7	..
TOTAL . . .	4,997	4,133	43.0	..	10	..	121	219	332	17	1,684	17.5	423
Orissa													
Berhampur . . .	72	120	86.9	4	4	29	20.1	4
Cuttack . . .	117	131	58.4	8	14	7	..	55	24.5	9
Puri . . .	53	31	30.4	8	10	1	..	29	28.3	5
TOTAL . . .	242	282	60.6	20	28	8	..	113	24.3	18
Pondicherry													
Pondicherry . . .	68	79	60.4	..	2	..	5	8	6	1	21	16.1	7

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th August, 1956—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Punjab (I)													
Ambala . . .	65	55	44.2	7	2	3	..	19	15.3	14
Amritsar . . .	343	261	39.7	1	11	28	1	92	14.0	37
Batala . . .	62	36	30.3	6	1	4	..	19	16.0	..
Bhiwani . . .	57	52	47.7	2	3	9	8.3	5
Ferozepore . . .	45	34	39.4	2	2	9	10.5	4
Hissar . . .	39	31	41.6	5	2	2	..	10	13.4	4
Hoshiarpur . . .	51	29	29.5	3	3	12	12.2	3
Jullundur . . .	200	138	36.0	8	3	12	..	42	11.0	11
Karnal . . .	72	51	37.0	4	9	6.5	1
Ludhiana . . .	176	158	46.9	20	31	9.2	10
Moga . . .	41	32	40.6	4	9	11.5	5
Panipat . . .	64	36	29.4	7	1	2	..	16	13.1	9
Patnonkot . . .	34	23	35.4	2	..	2	..	6	9.2	2
Rewari . . .	36	25	36.3	2	1	10	14.5	4
Rohtak . . .	105	74	36.9	8	2	1	..	21	10.5	10
Simla . . .	50	36	37.7	1	..	7	7.2	2
Sonapat . . .	34	36	55.2	5	1	1	..	10	15.3	..
TOTAL	1,474	1,107	39.1	86	32	56	1	331	11.7	121
Uttar Pradesh													
Agra . . .	375	250	34.8	7	56	..	124	17.3	37
Allahabad . . .	349	145	21.7	..	1	..	1	1	37	..	65	9.7	24
Amroha . . .	61	51	43.7	4	6	2	..	26	22.3	10
Bahraich . . .	47	27	30.0	2	3	9	10.0	2
Banaras . . .	383	342	46.7	..	1	..	48	14	13	..	209	28.5	60
Ballia . . .	35	9	13.4
Banda . . .	32	13	21.2	1	5	8.2	2
Bareilly . . .	203	102	26.0	12	2	11	1	40	10.3	9
Bijnor† . . .													
Budaun . . .	54	35	33.9	6	4	3	..	23	22.3	7
Basti† . . .													
Bulandshahr† . . .													
Chandausi . . .	41	43	54.5	13	7	3	1	32	40.6	13
Dehra Dun . . .	146	44	15.7	2	1	3	..	12	4.3	5
Etawah† . . .													
Falzarabad-Ayodhya . . .	88	24	14.2	2	2	1	1	10	5.9	3
Farrukhabad-Fatehgarh . . .	82	54	34.4	6	9	1	..	29	18.5	7
Ferozabad . . .	79	43	28.4	4	2.6	..
Ghazilabad . . .	46	35	39.8	4	11	12.5	3
Ghazipur . . .	36	28	40.7	..	1	..	6	1	15	21.8	1
Gorakhpur . . .	140	60	22.4	10	10	5	..	30	11.2	7
Gonda . . .	35	9	13.4	1	2	..	2	6	9.0	1
Hapur . . .	49	52	55.5	3	2	10	10.7	3
Hardwar . . .	64	32	26.0	12	4	3	..	29	23.7	8
Hathras . . .	62	52	43.7	8	3	4	..	23	19.4	2
Jaunpur . . .	56	36	33.6	3	..	4	..	12	11.2	2
Jhansi . . .	116	114	51.4	32	2	48	21.6	16
Kanpur . . .	734	453	32.3	131	22	51	9	363	25.8	97
Kasganj . . .	34	10	15.4	5	5	7.7	2
Khurja . . .	41	19	24.2	4	2	2	..	13	16.6	4

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th August, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Uttar Pradesh—contd.													
Koili-Aligarh . . .	150	77	26·8	12	9	1	..	38	13·2	15
Lucknow . . .	494	302	32·0	1	20	13	15	3	152	16·1	40
Mathura . . .	110	66	31·4	7	3	3	..	24	11·4	5
Mau-Nath Bhanjan†													
Meerut . . .	185	129	36·4	10	2	8	..	29	8·2	5
Mirzapur Vindhyachal	97	62	33·4	12	2	3	..	34	18·3	14
Moradabad . . .	164	85	27·1	4	1	9	..	30	9·6	9
Muzaffarnagar . . .	74	30	21·2	9	..	1	..	17	12·0	6
Pilibhit . . .	45	21	24·4	8	..	2	..	19	22·1	9
Rampur†													
Saharanpur . . .	162	114	36·8	27	3	1	..	40	12·9	11
Sambhal . . .	65	81	65·1	9	6	6	..	29	23·3	11
Shahjahanpur . . .	99	69	28·3	9	1	1	1	22	9·0	5
Sitapur . . .	49	31	32·9	3	2	8	8·5	3
TOTAL	5,082	3,149	32·2	1	3	..	446	146	249	18	1,595	16·3	458
West Bengal													
Asansol†													
Baidyabati . . .	33	10	15·8	1	..	3	4·8	..
Bally . . .	66	2	1·6	..
Bankura . . .	50	30	31·4	3	3·1	..
Bansberia†													
Baranagar . . .	90	34	19·8	1	3	1	..	10	5·9	4
Basirhat . . .	39	9	12·0	1	..	2	2·6	..
Berhampur . . .	64	44	35·8	..	1	..	5	1	16	13·0	4
Bhadreshwar . . .	34	5	7·5	1	3	4·5	1
Bhatpara . . .	143	23	8·4	3	7	2	5	..	28	10·2	7
Budge-Budge . . .	32	11	18·0	1	..	1	..	5	8·1	2
Burdwan . . .	82	18	11·4	3	..	12	7·7	..
Culcutta . . .	2,984	1,346	23·5	5	4	..	33	64	104	1	598	10·4	170
Champani . . .	41	2	2·5	4	5·1	..
Cooch Behar . . .	43	2	2·3	1	1·2	..
Darjeeling†													
English-Bazar . . .	36	21	30·4	2	2·9	..
Garden Reach . . .	124	21	8·8	1	3	..	2	..	18	7·6	8
Halisabar . . .	41	1	1·3	2	2·6	..
Hooghly-Chinsurah . . .	60	79	68·8	1	1	..	5	3	2	..	18	15·6	2
Howrah . . .	477	175	19·1	1	2	..	5	24	18	1	121	13·3	46
Jalpaiguri . . .	49	18	19·2	1	1·1	..
Kamarhati†													
Kanchrapara . . .	74	7	4·9
Krishnagar . . .	56	1	0·9	1	2	1·9	..
Midnapore . . .	45	60	69·6	3	1	14	16·3	..
Nabadwip . . .	70	30	22·4	10	2	13	9·7	1
Naihati . . .	62	8	6·7	2	1·7	1
North Barrackpore . . .	36	2	2·9
Panihati . . .	65	2	1·6	2	..	1	..	4	3·2	..
Shantipur . . .	49	18	19·2	1	1·1	..
Serampore . . .	83	43	27·1	2	6	2	1	17	10·6	5
Siliguri . . .	44	16	19·0	2	2·4	..
South Dum Dum†													
South Suburban . . .	124	47	19·8	1	2	3	..	10	4·2	2
Titagarh . . .	78	19	12·7	..	1	..	13	1	2	..	18	12·0	7
TOTAL	5,274	2,102	20·7	12	9	..	91	110	146	3	932	9·2	260

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th August, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B	B. R*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
STATES—(Part B)														
Hyderabad														
Aurangabad	73	10	7.1	2	1.4	..	
Bidar	37	4	..	1	..	5	7.0	..	
Gulberga	90	23	13.3	3	2	2	..	8	4.1	..	
Hyderabad City†														
Jalna†														
Kothagudiam†														
Latur	41	3	3.8	2	2	2.5	..	
Nanded	80	38	24.7	2	10	6.5	..	
Nizambad	67	16	12.4	3	2	3	..	11	8.5	3	
Parbhani	40	8	10.4	2	1	2	..	6	7.8	1	
Raichur†														
Secunderabad City . . .	162	179	57.5	1	5	3	..	51	16.4	21	
Warangal	155	40	13.4	6	..	1	..	9	3.0	..	
TOTAL	745	317	22.1	23	10	12	..	104	7.2	25	
Jammu & Kashmir				"N.R."										
Madhya Bharat				"N.R."										
Mysore														
Bhadravati†														
Bangalore	977	525	27.9	9	58	89	..	262	13.9	..	
Mysore	294	20	3.5	10	6	6	..	39	6.9	..	
Kolar Gold Field . . .	173	107	32.2	2	8	5	1	35	10.5	..	
Billary	78	34	22.7	2	2	15	10.0	..	
Davangere†														
Hospet†														
Shimoga†														
TOTAL	1,522	686	23.4	23	74	100	1	351	12.0	..	
PEPSU														
Patiala City	111	100	46.8	7	1	28	13.1	13	
Malerkotla	34	18	27.5	2	8	12.2	1	
Bhatinda	39	21	28.0	1	4	5.3	1	
TOTAL	184	139	39.3	10	1	40	11.3	15	
Rajasthan														
Alwar	60	49	42.5	2	3	1	..	16	13.9	..	
Bharatpur	38	8	10.9	4	7	9.6	1	
Bikaner	117	40	17.8	1	2	4	..	14	6.2	3	
Churu	48	1	1.1	..	
Ganganagar	47	2	2.2	..	1	..	3	1	1	..	11	12.1	..	
Tonk	45	1	1	1.2	..	
Kotah	72	17	12.3	8	13	9.4	1	
Sikar †														
Jaipur	353	55	8.1	15	6	12	1	71	10.5	32	
Udaipur†														
Jodhpur	200	25	6.5	..	1	..	12	2	27	7.0	11	
TOTAL	980	196	10.4	..	2	..	46	14	18	1	161	8.5	48	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th August, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from —								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Travancore-Cochin														
Alleppey	148	48	16.9	2	1	20	7.0	4	
Changanacherry†														
Ernakulam	70	17	12.6	3	2.2	..	
Kottayam†														
Mattanchery	85	73	44.7	1	..	1	..	5	3.1	1	
Nagercoil	94	39	21.6	2	..	1	12	6.6	2	
Quilon	75	106	73.5	2	2	11	7.6	..	
Trichur	76	60	41.1	2	1	1	..	11	7.5	3	
Trivandrum City	218	151	36.0	2	10	4	..	35	8.4	5	
TOTAL	766	494	33.5	9	16	6	1	97	6.6	15	
Saurashtra														
Bhavnagar	157	68	22.5	7	6	7	1	47	15.6	15	
Dhoraji	47	28	31.0	1	..	4	4.4	..	
Gondal	41	18	22.8	2	2	13	16.5	..	
Jamnagar	122	19	8.1	4	3	2	..	16	6.8	5	
Junagadh	65	45	36.0	18	2	1	..	28	22.4	11	
Morvi	43	13	15.7	1	1	1.2	..	
Porbandar	64	20	16.2	10	4	2	..	21	17.1	7	
Rajkot	167	70	21.8	13	2	7	..	47	14.6	13	
Surendranagar	42	2	2.5	
Veraval	46	9	10.2	4	7	7.8	..	
TOTAL	794	292	19.1	59	19	20	1	184	12.1	51	

ARREAR RETURNS

Delhi State				For w/e 28-7-56											
Delhi City	.	.	1,124	675	21.2	79	13	23	3	186	8.8	64
New Delhi	.	.	374	295	41.0	4	3	13	..	79	10.9	18
Station Delhi NAC Civil	.	.	117	104	46.2	1	4	..	19	8.4	8
Delhi Cantt	.	.	50	10	10.4	3	..	1	..	5	5.2	..
Delhi Shahdara	.	.	53	37	36.3	5	..	1	..	8	7.8	3
TOTAL	.	.	1718	1121	33.9	91	17	42	3	297	8.9	93
West Bengal				For w/e 28-7-56											
Asansol†															
Baidyabatl	.	.	33	6	9.5	1	1	..	2	3.2	..
Bally	.	.	66	5	4.0	1	..	5	4.0	..
Bankura			50	27	28.2	1	4	4.2	..
Bansberia†															
Baranagar	.	.	90	38	22.1	4	5	4	..	27	15.7	6
Basirhat			39	5	6.7	3	4.0	1
Berhampur	.	.	64	54	44.1	..	2	..	6	3	1	..	25	20.4	5
Bhadreshwar	.	.	34	5	7.7	1	..	1	..	5	7.7	1
Bhatpara			143	18	6.6	2	11	3	7	..	33	12.1	11
Budge Budge	.	.	32	11	18.0	1	1	..	3	4.9	..
Burdwan	.	.	82	25	15.9	2	1	1	2	..	12	7.7	..
Calcutta	.	.	2,984	1,332	23.3	4	8	..	35	91	107	5	586	10.3	160
Chandpur	.	.	41	22	28.1	1	..	3	3.8	..
Cooch Behar†															

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used: B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infant Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th August, 1956—concl'd.

Town	Mid.-year Popn.-Est. (000)	Deaths from 1—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal—contd.														
Darjeeling†														
English Bazar	36	24	34.9	5	7.3	..	
Garden Reach	124	17	7.2	1	3	1	15	6.3	5	
Halisahar	41	3	3.8	2	2.6	..	
Hoogly Chinsurah	60	62	54.0	2	1	3	3	1	15	13.1	1	
Howrah	477	175	19.2	2	6	..	7	21	25	..	131	14.4	51	
Jalpaiguri	49	46	49.1	5	5.3	..	
Kamarhati †														
Kanchrapura	74	10	7.1	1	4	2.3	..	
Krishnagar	56	2	1.9	
Midnapur	45	24	27.8	3	..	2	..	18	20.9	..	
Nabadwip	70	26	19.4	10	2	1	..	16	12.0	..	
Naihati	62	4	3.4	1	1	1	..	6	5.1	1	
North-Barrackpore	36	5	7.3	1	1	1.5	1	
Panihati	65	4	3.2	1	..	1	..	4	3.2	..	
Santipur	49	18	19.2	5	5.3	1	
Serampore	83	33	20.8	4	5	1	..	22	13.9	7	
Siliguri	44	18	21.4	1	1	1.2	..	
South Dum Dum	83	2	1.3	2	..	2	1.3	..	
South Suburban	124	24	10.1	6	4	..	15	6.3	6	
Titagarh	78	23	15.4	1	18	..	4	..	25	16.8	9	
TOTAL	5,314	2068	20.2	15	16	..	108	145	170	6	1,000	9.8	266	
Madhya Pradesh														
For w/e 2-6-56														
Khamgaon	42	27	33.4	3	5	6.2	..	
For w/e 9-6-56														
Khamgaon	42	25	31.0	4	13	16.1	..	
For w/e 16-6-56														
Khamgaon	42	38	47.0	6	9	11.1	..	
For w/e 23-6-56														
Khamgaon	42	41	50.8	2	13	16.1	..	
For w/e 14-7-56														
Khamgaon	42	33	40.9	4	4	14	17.3	..	
For w/e 21-7-56														
Jabalpur	237	88	19.3	10	1	12	..	43	9.4	..	
Khamgaon	42	18	22.3	2	3	11	13.6	..	
For w/e 28-7-50														
Chanda	43	16	23.0	4	3	10	12.1	4	
Jalpur	237	189	41.4	..	1	..	18	3	7	..	38	8.3	..	
Damoh	42	53	65.6	4	..	1	..	16	19.8	..	
Khamgaon	42	40	49.5	4	2	16	19.8	..	
Raigarh	35	26	38.6	3	1	13	19.3	..	

*In cases of towns where there has been abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D. R.—Death Rate; I.D.—(Infantile Deaths included in total deaths); ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 4th August, 1956 relate to 244 towns with an estimated population of 34,467 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 77% of the total number of towns representing 83% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 20,428 and 8,517 representing birth and death rates of 30·8 and 12·8 per thousand of population respectively.

(a) *States (Part A and C)*:—The data here relate to 202 towns with an estimated population of 29,476 thousands. Information about Bihar could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 80% of the total number of towns representing 88% of the total population is covered.

The number of births and deaths recorded in these towns were 18,304 and 7,580 representing birth rates and death rates of 32·3 and 13·4 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B)*:—The data here relate to 42 towns with an estimated population of 4,991 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 65% of the total number of towns representing 62% of the total population is covered. The number of births and deaths recorded in these towns were 2,124 and 937 representing birth and death rates of 22·1 and 9·8 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 4-8-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period.	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . . .	22·9	8·7	†	†	32·8	12·6
Andhra . . .	41·2	17·4	39·0	14·7	†	†
Bombay . . .	30·7	12·6	31·3	13·9	31·2	16·0
Delhi . . .	35·7	9·1	36·5	11·1	36·4	11·8
Madhya Pradesh .	21·1	10·0	43·2	13·6	31·2	14·7
Madras . . .	43·0	17·5	40·8	17·8	†	†
Orissa . . .	60·6	24·3	46·0	23·3	38·8	22·1
Punjab (I) . . .	39·1	11·7	44·6	11·0	38·0	10·7
Uttar Pradesh . .	32·2	16·3	36·5	15·9	36·8	17·6
West Bengal . . .	20·7	9·2	20·0	9·4	20·4	12·3
*India . . .	32·3	13·4	33·8	13·9	33·9	16·5

*8 Part 'A' States and 2 Part 'C' States.

†Figures not available.

NEW DELHI-2 (INDIA) ;
The 27th August 1956. }

K. MITRA,
for Registrar General, India.

